


RECEIVED
CENTRAL FAX CENTER

JAN 20 2004

BACHMAN & LaPOINTE, P.C.
REGISTERED PATENT ATTORNEYS
SPECIALIZING IN INTELLECTUAL PROPERTYSUITE 1201
900 CHAPEL STREET
NEW HAVEN, CONNECTICUT 06510-2802**OFFICIAL**GREGORY P. LAPOINTE
BARRY L. KELMACHTER (ALSO VA BAR)
GEORGE A. COURY (ALSO NY BAR)
JEFFREY R. AMBROZIAK
WILLIAM B. SLATE (ALSO CA AND DC BARS)TELEPHONE (203) 777-1152B
FAX (203) 865-11297
(203) 789-11582TELECOPIER COVER LETTERTo: Examiner KyleFrom: William B. SlateFAX #: 703-872-9327Date: January 20, 2004Your Ref.: SN 10/002,684Our Ref.: 03-318-US2Number of Pages including this sheet: 10Confirmation Copy to Follow: Yes XX No

* Comments:

I hereby certify that this correspondence is being faxed this
20th day of January, 2004 to the USPTO, at Fax No. 1-703-872-9327.


Antoinette Sullo

Please acknowledge receipt of this letter by email, telephone,
telefax or telex and advise us if any pages are not readily legible
or have not been received.

The information contained in this communication is confidential, may
be attorney-client privileged, may constitute inside information, and
is intended only for the use of the addressee. Unauthorized use,
disclosure or copying is strictly prohibited and may be unlawful. If
you have received this communication in error, please notify us
immediately and destroy this transmittal.

BACHMAN & LAPOINTE, P.C.
TELEPHONE: (203) 777-6628
TELEFAX : (203) 865-0297

JAN 20 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

OFFICIAL

App. No.:	10/002,684	Att'y Docket:	03-318-US2
Filing Date:	October 24, 2001	Conf No.:	4640
Inventor(s):	D. Gregory MORE et al.	Group Art Unit:	3676
Assignee:	The Advanced Products Company	Examiner:	KYLE, Michael

Title: HIGH TEMPERATURE METALLIC SEAL

Correspondence Address:
Customer No. 34704

AMENDMENT UNDER 37 C.F.R. 1.116

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313

Dear Sir:

Ser. No. 10/002,684

Introductory Comments

In response to the Office Action mailed November 20, 2003, for which a response is due on February 20, 2004, please amend the application as follows: